

號碼(No.): CE/2014/C6382 日期(Date): 2015/01/07 頁數(Page): 1 of 6

# **Test Report**

南亞塑膠工業股份有限公司

NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠

NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

樣品名稱(Sample Description) : PP SYNTHETIC PAPER (PP合成紙) 同材質產品(Sample description : PP 膠布/膜片 (PP SHEET/FILM)

of the same material)

收件日期(Sample Receiving Date) : 2014/12/30

測試期間(Testing Period) : 2014/12/30 TO 2015/01/07

\_\_\_\_\_\_

測試需求(Test Requested): 依據客户要求,參考RoHS 2011/65/EU Annex II 指令進行鎬,鉛,汞,六價鉻,多溴聯苯。 多溴聯苯醚測試. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs

contents in the submitted sample.)

測試方法(Test Method) : 請見下一頁 (Please refer to next pages). 測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客户所提供的樣品,其鎬,鉛,汞,六價鉻,多溴聯苯,多溴聯苯醚的測試結果符合

RoHS指令2002/95/EC的更新指令2011/65/EU之要求 (Based on the performed tests on submitted samples, the test result(s) of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II;

recasting 2002/95/EC.)

Troy Chang Manager - Tech Signed for and on Dehalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



號碼(No.): CE/2014/C6382 日期(Date): 2015/01/07 頁數(Page): 2 of 6

# **Test Report**

南亞塑膠工業股份有限公司

NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠

NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 白色片狀 (WHITE SHEET)

| 測試項目<br>(Test Items)                | 單位<br>(Unit) | 測試方法<br>(Method)  | 方法偵測<br>極限値<br>(MDL) | 結果<br>(Result)<br>No.1 | 法規<br>限値<br>(Limit) |
|-------------------------------------|--------------|---|----------------------|------------------------|---------------------|
| 鎬 / Cadmium (Cd)                    | mg/kg        | 參考IEC 62321-5: 2013方法,以感應耦合<br>電漿原子發射光譜儀檢測./With<br>reference to IEC 62321-5: 2013 and<br>performed by ICP-AES.   | 2                    | n.d.                   | 100                 |
| 鉛 / Lead (Pb)                       | mg/kg        |   | 2                    | n.d.                   | 1000                |
| 汞 / Mercury (Hg)                    | mg/kg        | 参考IEC 62321-4: 2013方法,以感應耦合<br>電漿原子發射光譜儀檢測. / With<br>reference to IEC 62321-4: 2013 and<br>performed by ICP-AES. | 2                    | n.d.                   | 1000                |
| 六價络 / Hexavalent Chromium<br>Cr(VI) | mg/kg        | 参考IEC 62321: 2008方法,以UV-VIS檢測.<br>/ With reference to IEC 62321: 2008<br>and performed by UV-VIS.                 | 2                    | n.d.                   | 1000                |
| 多溴聯苯總和 / Sum of PBBs                | mg/kg        | 参考IEC 62321: 2008方法,以氣相層析/質   | -                    | n.d.                   | 1000                |
| 一溴聯苯 / Monobromobiphenyl            | mg/kg        |   | 5                    | n.d.                   | -                   |
| 二溴聯苯 / Dibromobiphenyl              | mg/kg        |   | 5                    | n.d.                   | -                   |
| 三溴聯苯 / Tribromobiphenyl             | mg/kg        |   | 5                    | n.d.                   | -                   |
| 四溴聯苯 / Tetrabromobiphenyl           | mg/kg        |   | 5                    | n.d.                   | -                   |
| 五溴聯苯 / Pentabromobiphenyl           | mg/kg        | 譜儀檢測. / With reference to IEC   | 5                    | n.d.                   | -                   |
| 六溴聯苯 / Hexabromobiphenyl            | mg/kg        | 62321: 2008 and performed by GC/MS.   | 5                    | n.d.                   | -                   |
| 七溴聯苯 / Heptabromobiphenyl           | mg/kg        |   | 5                    | n.d.                   | -                   |
| 八溴聯苯 / Octabromobiphenyl            | mg/kg        |   | 5                    | n.d.                   | -                   |
| 九溴聯苯 / Nonabromobiphenyl            | mg/kg        |   | 5                    | n.d.                   | -                   |
| 十溴聯苯 / Decabromobiphenyl            | mg/kg        |   | 5                    | n.d.                   | -                   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/C6382 日期(Date): 2015/01/07 頁數(Page): 3 of 6

# **Test Report**

南亞塑膠工業股份有限公司

NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠

NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

| 測試項目<br>(Test Items)             | 單位<br>(Unit) | 測試方法<br>(Method)  | 方法偵測<br>極限値<br>(MDL) | 結果<br>(Result)<br>No.1 | 法規<br>限値<br>(Limit) |
|----------------------------------|--------------|---|----------------------|------------------------|---------------------|
| 多溴聯苯醚總和 / Sum of PBDEs           | mg/kg        | 参考IEC 62321: 2008方法,以氣相層析/質<br>譜儀檢測. / With reference to IEC<br>62321: 2008 and performed by GC/MS. | -                    | n.d.                   | 1000                |
| 一溴聯苯醚 / Monobromodiphenyl ether  | mg/kg        |   | 5                    | n.d.                   | -                   |
| 二溴聯苯醚 / Dibromodiphenyl ether    | mg/kg        |   | 5                    | n.d.                   | -                   |
| 三溴聯苯醚 / Tribromodiphenyl ether   | mg/kg        |   | 5                    | n.d.                   | -                   |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg        |   | 5                    | n.d.                   | -                   |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg        |   | 5                    | n.d.                   | -                   |
| 六溴聯苯醚 / Hexabromodiphenyl ether  | mg/kg        |   | 5                    | n.d.                   | -                   |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg        |   | 5                    | n.d.                   | -                   |
| 八溴聯苯醚 / Octabromodiphenyl ether  | mg/kg        |   | 5                    | n.d.                   | -                   |
| 九溴聯苯醚 / Nonabromodiphenyl ether  | mg/kg        |   | 5                    | n.d.                   | -                   |
| 十溴聯苯醚 / Decabromodiphenyl ether  | mg/kg        |   | 5                    | n.d.                   | -                   |

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/C6382

日期(Date): 2015/01/07

頁數(Page): 4 of 6

# **Test Report**


南亞塑膠工業股份有限公司

NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠

NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded )
- 2) 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note\*\*:(1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/C6382 日期(Date): 2015/01/07

頁數(Page): 5 of 6

# **Test Report**

南亞塑膠工業股份有限公司

NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠


NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang 初次測試程序 / First testing process ————

選擇性篩檢程序 / Optional screen process •••••

確認程序 / Confirmation process - - - - →



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/C6382 日期(Date): 2015/01/07 頁數(Page): 6 of 6

## **Test Report**

南亞塑膠工業股份有限公司


NAN YA PLASTICS CORPORATION

嘉義縣新港鄉中洋村中洋工業區2號 硬布一廠

NO. 2, CHUNGYANG INDUSTRIAL PARK, HSINKANG VILLAGE, CHIAYI COUNTY, TAIWAN

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \*
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/C6382



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx</a>. Attention of advant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document on the company and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document and this document on the company and the compan